



THE HAMMOCK SOURCE
Technical Report: **66160040800**
JAN 07, 2016
Page 10 of 17

03035 -
HAMMOCK

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
Dimensions - width	CPSD-HL-01056-MTHD / Standard measure	1	[In.] Report overall dimensions; shall meet label claims (If applicable) (-0% / +5%).	NR	-
* Fiber analysis: quantitative	AATCC 20A	1	Must Be Within 3% Tolerance As Required By FTC; 0% Tolerance - Single Fiber	C:100% Nylon R:100% Nylon	PASS



TEST PROTOCOL FOR

**03035 -
 HAMMOCK**

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
SCOPE: THIS PROTOCOL IS APPLICABLE TO HAMMOCKS.					
SUPPLEMENTAL PROTOCOLS					
* Master Supplemental Protocol	TRGT-GB-PTCL-30000-AMN	--	All samples must be reviewed to Target's "Master Supplemental Protocol"; TRGT-GB-PTCL-30000-AMN. This Protocol lists Supplemental Protocols to determine if additional testing or labeling is required. All products shall be tested to the applicable supplemental protocol(s). If there are additional supplemental protocols listed in applicable functional protocol(s), apply those as well. All applicable supplemental protocol(s) and tested lines shall be listed in the test report.	NR	-
LABELING					
Labeling review: fiber	16 CFR 300 / 303	All	[Fiber Content Label] Must be included and comply to all claims	NR	-
Claim verification	TRGT-HL-08612-MTHD / Claim verification	All	Must comply with all claims	NR	-
Accuracy or adequacy of instructions	CPSD-HL-01057-MTHD / Visual	1	Shall be easy to follow and accurate	NR	-



03035 -
 HAMMOCK

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
* Hazardous materials label review	16 CFR 1500.121 modified	1	<p>[Touch up paint]</p> <p>The product packaging will be reviewed in conjunction with the TRA report for hazardous material labeling.</p> <p>The evaluation will include: Type size and style (if submitted as printed packaging) Color and contrast of all cautionary statements Presence of the signal word Presence of the statement of principal hazards Prominence of signal word and statements of principal hazards Presence of cautionary statement "Keep Out of the Reach of Children" This evaluation does not confirm full compliance with 16 CFR 1500.121.</p>	NR	-
* Products requiring special labeling	16 CFR 1500.14	1	<p>[Touch up paint]</p> <p>Certain substances are defined hazardous and require specific labeling statements. Test to the supplemental protocol TRGT-HL-PTCL-06573-US. NOTE: Applicable to mobile materials such as liquids, pastes, putties, gels and powders.</p>	NR	-



03035 -
 HAMMOCK

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
* Canada consumer chemicals and containers regulations **	SOR/2001-269	1	<p>[For Canada] [Applicable to liquids, pastes, putties, gels, powders, etc and/or their empty containers, except food, cosmetics, drugs, medical devices, pest control.]</p> <p>The manufacturer or importer must provide completed BVCPS CCCR Submission Requirements Form certifying compliance or non-applicability with these requirements.</p> <p>Refer to CPSD-HL-NSOP-CONSUMER CHEMICALS AND CONTAINERS DOCUMENT REVIEW and BVCPS CCCR Submission Requirements Form.</p> <p>FAIL if no Form or incomplete Form is received</p>	NR	-
* Canada consumer chemicals and containers regulations - no Form submitted **	SOR/2001-269	1	<p>[For Canada] [Applicable to liquids, pastes, putties, gels, powders, etc and/or their empty containers, except food, cosmetics, drugs, medical devices, pest control.]</p> <p>When BVCPS CCCR Submission Requirements Form is not obtained after one business day and one email attempt the submitted sample will be sent for outsource testing with CAS and ingredient list for intended liquid.</p>	NR	-



**BUREAU
VERITAS**

THE HAMMOCK SOURCE
 Technical Report: **66160040800**
 JAN 07, 2016
 Page 6 of 17

**03035 -
HAMMOCK**

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
Canada bilingual requirement	The Charter of French Language, Title 1, Chapter VII, Clause 51 / Visual	1	<p>[For Canada]</p> <p>Every inscription must appear in both English and French. This includes all information on products, labels, packaging, wrappers, containers (including Product Description, Country of Origin, Fiber Content, Care Label, Warning and Safety notification and other information) The English and French Language must be given equal prominence. For Example, the size of the lettering for the English and French inscription should be the same.</p> <p>An inscription on a product may be exclusively in a language other than French (English only) in the following case, whereby the product is from outside Québec and the inscription is engraved, baked or inlaid in the product itself, riveted or welded to it or embossed on it, in a permanent manner (printing or stickers are not considered permanent).</p> <p>However, inscriptions concerning safety must be written in French and appear on the product or accompany it in a permanent manner.</p> <p>Note: If failed, put close up picture of the non-compliant label/packaging material (e.g. hangtag) and specify reason for failure in test report.</p> <p>Exemptions: Verbiage that is part of the design aesthetic (e.g. Coffee Mug -" Stamped Best Mom") design aesthetic, Manufacturer name and address does not require the French Equivalent.</p>	NR	-

ANALYTICAL



03035 -
 HAMMOCK

Evaluation	Citation / Method	No. of Samples	Criteria	Results	Rating
* Total lead content in surface coatings	Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / CPSC-CH-E1003-09.1 / AOAC 974.02 modified / CPSD-AN-00001-MTHD	1	<p>All accessible surface coatings shall not contain lead in excess of 0.009% (90ppm) of the weight of the total content of paint or surface coating.</p> <p>Report actual results or include data table within report</p> <p>Issue a program audit report</p> <p>Compositing is allowed as follows: Composite up to 3 similar colors/materials. Based on the CPSC standard. If any color/material in the composite exceeds 80% of the limit, based on the lowest weight component, then individual colors/materials will be analyzed.</p> <p>Wet paints are not allowed.</p> <p>It is acceptable to request up to 15 samples or components. If the required amount of the tested substance cannot be acquired from 15 samples, the results will be negligible.</p>	<p>M Black on metal:44.9ppm</p>	PASS